

For Immediate Release

June 22, 2016

## CONFIRMED PERTUSSIS (WHOOPIING COUGH) CASE IN FIVE HILLS

The Five Hills Health Region is confirming that there has been a case of pertussis identified in a child within the health region. Pertussis is a serious and highly contagious infection of the lungs and throat.

Pertussis starts like a common cold with symptoms such as sneezing, runny nose, a mild fever and cough that progressively gets worse over the next week or two. Symptoms include severe coughing spells that often end with a whooping sound before the next breath, especially in young children.

Public health personnel have advised people who were in contact with the case or those who develop symptoms as described to contact their family physician. Patients are advised to inform the clinic of their situation when booking the appointment so that they can be masked and moved to an exam room when arriving at the clinic.

Pertussis-containing vaccines are part of the routine child immunization program (2 months of age to grade 8). An adult vaccine is freely available in the form of Tdap vaccine. Pregnant women who have not previously received Tdap vaccine can safely receive it after 26 weeks gestation. If individuals or their family members have not been vaccinated they should contact public health to make arrangements.

If unsure of you or your family member's immunization status, contact your local public health office. Contact information for Five Hills Health Region offices is as follows:

Moose Jaw – 306-691-1500  
Assiniboia – 306-642-2200  
Gravelbourg – 306-648-1400

For more information on immunization and vaccines please visit  
<http://www.saskatchewan.ca/residents/health/accessing-health-care-services/immunization-services>

---

For further information, please contact:  
Kyle Matthies  
Vice President, Corporate Strategy and Communications  
306-694-8721  
[kyle.matthies@fhhr.ca](mailto:kyle.matthies@fhhr.ca)

# Pertussis “Whooping Cough” Disease

Keep your child and yourself safe. By getting all vaccines on time, you and your child can be protected from many vaccine preventable diseases over your lifetimes. Immunizations have saved more lives in Canada in the last 50 years than any other health measure.

## What is pertussis?

- Pertussis, or “whooping cough”, is a serious and highly contagious infection of the lungs and throat caused by *Bordetella pertussis* bacteria.
- Young children who have not been immunized get sicker than older children and adults.
- On average, one to three deaths occur due to pertussis in Canada. **Saskatchewan had three deaths from pertussis between 2010 – 2015.**
- People can get pertussis at any age. People can get pertussis many times during their life, as they do not develop permanent immunity. Disease may occur in those who have been vaccinated but symptoms are typically milder.

Serious complications of pertussis happen most often in infants and may include:

- Apnea (breathing stops)
- Pneumonia
- Convulsions or seizures
- Encephalopathy (brain damage) that may be permanent.

## What are the symptoms?

- Pertussis starts like a common cold with symptoms such as sneezing, runny nose, mild fever and a mild cough.
- During the next week or two, the cough gets worse, leading to severe coughing spells that often end with a whooping sound before the next breath, especially in young children.
- Teenagers and adults may not make the whooping sound.
- The cough can last one to two months and occurs more often at night. The cough can make a person gag or spit out mucus, and make it hard to take a breath. This prevents enough oxygen from getting to the brain.

## How is pertussis spread?

- **Early diagnosis and treatment is important to stop the spread of the pertussis bacteria.**
- A person with pertussis who does not get treatment can spread the germ to others for up to three weeks after the cough starts.
- Pertussis spreads easily when an infected person coughs, sneezes or has close contact with others.
- By sharing food, drinks or cigarettes, or kissing someone who carries the bacteria can also put you at risk.

## Is there a treatment?

Pertussis is treated with antibiotics, which help to reduce the spread of infection and the duration of illness when given during the very early stage of the illness.

People at high risk of serious illness who have been in close contact with someone with pertussis are given an antibiotic to prevent the disease. This includes infants younger than one year old and pregnant women in their last three months of pregnancy, as well as all of their household and daycare contacts.

People who have pertussis or who may have been exposed to pertussis **should not** have any contact with babies or young children until they have been properly tested and/or treated for pertussis. **If you have been in contact with a person who has pertussis, you should call your doctor, nurse practitioner or local health office for more information.**

## Pertussis containing vaccines

Pertussis containing vaccines are part of the routine childhood immunization program (2 months of age to Grade 8). An adult immunization program is now available as well.

Ask your public health nurse, nurse practitioner or doctor for more information about this vaccine.